



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE691892	Red River High School Grand Forks, ND 58201 USA	202 Not Provided	Not Provided Personal Knowledge	Yes	7:31 PM 3/10/2020	7:16 AM 3/13/2020	<0.5 pCi/L *
2)	AE691900	Red River High School Grand Forks, ND 58201 USA	203 Not Provided	Not Provided Personal Knowledge	Yes	7:33 PM 3/10/2020	7:15 AM 3/13/2020	0.6 pCi/L
3)	AE691872	Red River High School Grand Forks, ND 58201 USA	203 Not Provided	Not Provided Personal Knowledge	Yes	7:33 PM 3/10/2020	7:15 AM 3/13/2020	<0.6 pCi/L *
4)	AE691918	Red River High School Grand Forks, ND 58201 USA	201 Not Provided	Not Provided Personal Knowledge	Yes	7:34 PM 3/10/2020	7:13 AM 3/13/2020	<0.8 pCi/L *
5)	AE691909	Red River High School Grand Forks, ND 58201 USA	Mrs Hatt Office Not Provided	Not Provided Personal Knowledge	Yes	7:35 PM 3/10/2020	7:14 AM 3/13/2020	<0.8 pCi/L *
6)	AE691856	Red River High School Grand Forks, ND 58201 USA	Counselor Not Provided	Not Provided Personal Knowledge	Yes	7:38 PM 3/10/2020	7:56 AM 3/13/2020	<0.6 pCi/L *
7)	AE691896	Red River High School Grand Forks, ND 58201 USA	Conference Rm Not Provided	Not Provided Personal Knowledge	Yes	7:39 PM 3/10/2020	7:53 AM 3/13/2020	<0.7 pCi/L *
8)	AE691884	Red River High School Grand Forks, ND 58201 USA	F-k Rm Not Provided	Not Provided Personal Knowledge	Yes	7:41 PM 3/10/2020	7:54 AM 3/13/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE691905	Red River High School Grand Forks, ND 58201 USA	Science Wing Not Provided	Not Provided Personal Knowledge	Yes	7:43 PM 3/10/2020	6:55 AM 3/13/2020	<0.6 pCi/L *
10)	AE691876	Red River High School Grand Forks, ND 58201 USA	204 Not Provided	Not Provided Personal Knowledge	Yes	7:43 PM 3/10/2020	7:00 AM 3/13/2020	<0.5 pCi/L *
11)	AE691926	Red River High School Grand Forks, ND 58201 USA	206 Not Provided	Not Provided Personal Knowledge	Yes	7:45 PM 3/10/2020	7:01 AM 3/13/2020	<0.6 pCi/L *
12)	AE691919	Red River High School Grand Forks, ND 58201 USA	103 Not Provided	Not Provided Personal Knowledge	Yes	7:47 PM 3/10/2020	7:02 AM 3/13/2020	<0.5 pCi/L *
13)	AE691913	Red River High School Grand Forks, ND 58201 USA	208 Not Provided	Not Provided Personal Knowledge	Yes	7:48 PM 3/10/2020	7:03 AM 3/13/2020	<0.8 pCi/L *
14)	AE691911	Red River High School Grand Forks, ND 58201 USA	105 Not Provided	Not Provided Personal Knowledge	Yes	7:44 PM 3/10/2020	7:05 AM 3/13/2020	<0.3 pCi/L *
15)	AE691927	Red River High School Grand Forks, ND 58201 USA	Science Wing Not Provided	Not Provided Personal Knowledge	Yes	7:50 PM 3/10/2020	7:06 AM 3/13/2020	<0.5 pCi/L *
16)	AE691923	Red River High School Grand Forks, ND 58201 USA	210 Not Provided	Not Provided Personal Knowledge	Yes	7:51 PM 3/10/2020	7:07 AM 3/13/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE691904	2132971 Red River High School Grand Forks, ND 58201 USA	107 Not Provided	Not Provided Personal Knowledge	Yes	7:52 PM 3/10/2020	7:08 AM 3/13/2020	0.6 pCi/L
18)	AE691912	2132959 Red River High School Grand Forks, ND 58201 USA	212 Not Provided	Not Provided Personal Knowledge	Yes	7:55 PM 3/10/2020	7:09 AM 3/13/2020	<0.4 pCi/L *
19)	AE691910	2132961 Red River High School Grand Forks, ND 58201 USA	109 Not Provided	Not Provided Personal Knowledge	Yes	7:56 PM 3/10/2020	7:10 AM 3/13/2020	<0.5 pCi/L *
20)	AE691920	2132958 Red River High School Grand Forks, ND 58201 USA	214 Not Provided	Not Provided Personal Knowledge	Yes	7:57 PM 3/10/2020	7:10 AM 3/13/2020	0.5 pCi/L
21)	AE691928	2132969 Red River High School Grand Forks, ND 58201 USA	111 Not Provided	Not Provided Personal Knowledge	Yes	7:59 PM 3/10/2020	7:11 AM 3/13/2020	<0.7 pCi/L *
22)	AE691935	2132970 Red River High School Grand Forks, ND 58201 USA	Science Wing Not Provided	Not Provided Personal Knowledge	Yes	7:59 PM 3/10/2020	7:11 AM 3/13/2020	<0.6 pCi/L *
23)	AE691880	2133015 Red River High School Grand Forks, ND 58201 USA	205 Not Provided	Not Provided Personal Knowledge	Yes	8:01 PM 3/10/2020	7:17 AM 3/13/2020	0.6 pCi/L
24)	AE691921	2132962 Red River High School Grand Forks, ND 58201 USA	205 Not Provided	Not Provided Personal Knowledge	Yes	8:01 PM 3/10/2020	7:17 AM 3/13/2020	<0.4 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25) AE691925	2132964	Red River High School Grand Forks, ND 58201 USA	301 Not Provided	Not Provided Personal Knowledge	Yes	8:03 PM 3/10/2020	7:19 AM 3/13/2020	<0.6 pCi/L *
26) AE691917	2133007	Red River High School Grand Forks, ND 58201 USA	301 Not Provided	Not Provided Personal Knowledge	Yes	8:03 PM 3/10/2020	7:19 AM 3/13/2020	0.5 pCi/L
27) AE691860	2132950	Red River High School Grand Forks, ND 58201 USA	A-e Not Provided	Not Provided Personal Knowledge	Yes	8:04 PM 3/10/2020	7:56 AM 3/13/2020	<0.4 pCi/L *
28) AE691887	2132949	Red River High School Grand Forks, ND 58201 USA	Career Center Not Provided	Not Provided Personal Knowledge	Yes	8:08 PM 3/10/2020	7:57 AM 3/13/2020	<0.6 pCi/L *
29) AE691933	2132926	Red River High School Grand Forks, ND 58201 USA	Rj-z Not Provided	Not Provided Personal Knowledge	Yes	8:10 PM 3/10/2020	7:55 AM 3/13/2020	<0.4 pCi/L *
30) AE691922	2133029	Red River High School Grand Forks, ND 58201 USA	L- Ri Not Provided	Not Provided Personal Knowledge	Yes	8:10 PM 3/10/2020	7:54 AM 3/13/2020	<0.5 pCi/L *
31) AE691934	2133014	Red River High School Grand Forks, ND 58201 USA	301 Black Rm Not Provided	Not Provided Personal Knowledge	Yes	8:13 PM 3/10/2020	7:19 AM 3/13/2020	<0.6 pCi/L *
32) AE691929	2133009	Red River High School Grand Forks, ND 58201 USA	303 Not Provided	Not Provided Personal Knowledge	Yes	8:21 PM 3/10/2020	7:21 AM 3/13/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33)	AE691931	2133017 Red River High School Grand Forks, ND 58201 USA	303 Not Provided	Not Provided Personal Knowledge	Yes	8:21 PM 3/10/2020	7:21 AM 3/13/2020	<0.5 pCi/L *
34)	AE691895	2133005 Red River High School Grand Forks, ND 58201 USA	305 Not Provided	Not Provided Personal Knowledge	Yes	8:23 PM 3/10/2020	7:22 AM 3/13/2020	<0.7 pCi/L *
35)	AE691924	2133008 Red River High School Grand Forks, ND 58201 USA	305 Not Provided	Not Provided Personal Knowledge	Yes	8:23 PM 3/10/2020	7:22 AM 3/13/2020	<0.5 pCi/L *
36)	AE691932	2132979 Red River High School Grand Forks, ND 58201 USA	307 Not Provided	Not Provided Personal Knowledge	Yes	8:24 PM 3/10/2020	7:24 AM 3/13/2020	0.6 pCi/L
37)	AE691936	2132980 Red River High School Grand Forks, ND 58201 USA	307 Not Provided	Not Provided Personal Knowledge	Yes	8:24 PM 3/10/2020	7:24 AM 3/13/2020	<0.6 pCi/L *
38)	AE691930	2132978 Red River High School Grand Forks, ND 58201 USA	302 Not Provided	Not Provided Personal Knowledge	Yes	8:26 PM 3/10/2020	7:26 AM 3/13/2020	<0.6 pCi/L *
39)	AE692433	2133006 Red River High School Grand Forks, ND 58201 USA	309 Not Provided	Not Provided Personal Knowledge	Yes	8:28 PM 3/10/2020	7:27 AM 3/13/2020	<0.7 pCi/L *
40)	AE692429	2132973 Red River High School Grand Forks, ND 58201 USA	309 Not Provided	Not Provided Personal Knowledge	Yes	8:28 PM 3/10/2020	7:27 AM 3/13/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.  
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41) AE692441	2132965	Red River High School Grand Forks, ND 58201 USA	311 Not Provided	Not Provided Personal Knowledge	Yes	8:29 PM 3/10/2020	7:27 AM 3/13/2020	<0.5 pCi/L *
42) AE692439	2132972	Red River High School Grand Forks, ND 58201 USA	311 Not Provided	Not Provided Personal Knowledge	Yes	8:29 PM 3/10/2020	7:27 AM 3/13/2020	<0.5 pCi/L *
43) AE692435	2132999	Red River High School Grand Forks, ND 58201 USA	304 Office Not Provided	Not Provided Personal Knowledge	Yes	8:31 PM 3/10/2020	7:29 AM 3/13/2020	<0.5 pCi/L *
44) AE692425	2132966	Red River High School Grand Forks, ND 58201 USA	400 Not Provided	Not Provided Personal Knowledge	Yes	8:35 PM 3/10/2020	7:30 AM 3/13/2020	<0.7 pCi/L *
45) AE692437	2132998	Red River High School Grand Forks, ND 58201 USA	401 Not Provided	Not Provided Personal Knowledge	Yes	8:36 PM 3/10/2020	7:32 AM 3/13/2020	<0.5 pCi/L *
46) AE692688	2133010	Red River High School Grand Forks, ND 58201 USA	313 Not Provided	Not Provided Personal Knowledge	Yes	9:03 PM 3/10/2020	7:50 AM 3/13/2020	<0.7 pCi/L *
47) AE692717	2133011	Red River High School Grand Forks, ND 58201 USA	313 Inner Rm Not Provided	Not Provided Personal Knowledge	Yes	9:03 PM 3/10/2020	7:50 AM 3/13/2020	0.8 pCi/L
48) AE692741	2133027	Red River High School Grand Forks, ND 58201 USA	306 Small Not Provided	Not Provided Personal Knowledge	Yes	9:04 PM 3/10/2020	7:51 AM 3/13/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49) AE692742	2132955	Red River High School Grand Forks, ND 58201 USA	306 Big Not Provided	Not Provided Personal Knowledge	Yes	9:06 PM 3/10/2020	7:49 AM 3/13/2020	<0.5 pCi/L *
50) AE692705	2133028	Red River High School Grand Forks, ND 58201 USA	315 Not Provided	Not Provided Personal Knowledge	Yes	9:06 PM 3/10/2020	7:48 AM 3/13/2020	<0.5 pCi/L *
51) AE692713	2132951	Red River High School Grand Forks, ND 58201 USA	317 Not Provided	Not Provided Personal Knowledge	Yes	9:07 PM 3/10/2020	7:48 AM 3/13/2020	0.5 pCi/L
52) AE692739	2132956	Red River High School Grand Forks, ND 58201 USA	319 Not Provided	Not Provided Personal Knowledge	Yes	9:08 PM 3/10/2020	7:47 AM 3/13/2020	0.6 pCi/L
53) AE692696	2133012	Red River High School Grand Forks, ND 58201 USA	415 Not Provided	Not Provided Personal Knowledge	Yes	9:11 PM 3/10/2020	7:42 AM 3/13/2020	0.8 pCi/L
54) AE692743	2133026	Red River High School Grand Forks, ND 58201 USA	408 Not Provided	Not Provided Personal Knowledge	Yes	9:13 PM 3/10/2020	7:41 AM 3/13/2020	<0.5 pCi/L *
55) AE692740	2132995	Red River High School Grand Forks, ND 58201 USA	406 Not Provided	Not Provided Personal Knowledge	Yes	9:15 PM 3/10/2020	7:37 AM 3/13/2020	0.7 pCi/L
56) AE692724	2133025	Red River High School Grand Forks, ND 58201 USA	409 Not Provided	Not Provided Personal Knowledge	Yes	9:17 PM 3/10/2020	7:39 AM 3/13/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE692732	2133023 Red River High School Grand Forks, ND 58201 USA	404 Not Provided	Not Provided Personal Knowledge	Yes	9:19 PM 3/10/2020	7:36 AM 3/13/2020	<0.4 pCi/L *
58)	AE692744	2133000 Red River High School Grand Forks, ND 58201 USA	407 Not Provided	Not Provided Personal Knowledge	Yes	9:19 PM 3/10/2020	7:34 AM 3/13/2020	0.7 pCi/L
59)	AE749267	2133024 Red River High School Grand Forks, ND 58201 USA	405 Not Provided	Not Provided Personal Knowledge	Yes	9:20 PM 3/10/2020	7:35 AM 3/13/2020	0.8 pCi/L
60)	AE749266	2133003 Red River High School Grand Forks, ND 58201 USA	405 Not Provided	Not Provided Personal Knowledge	Yes	9:20 PM 3/10/2020	7:35 AM 3/13/2020	<0.8 pCi/L *
61)	AE749275	2133001 Red River High School Grand Forks, ND 58201 USA	407 Not Provided	Not Provided Personal Knowledge	Yes	9:22 PM 3/10/2020	7:35 AM 3/13/2020	0.8 pCi/L
62)	AE749274	2132994 Red River High School Grand Forks, ND 58201 USA	407 Not Provided	Not Provided Personal Knowledge	Yes	9:22 PM 3/10/2020	7:35 AM 3/13/2020	0.9 pCi/L
63)	AE749269	2133004 Red River High School Grand Forks, ND 58201 USA	403 Not Provided	Not Provided Personal Knowledge	Yes	9:23 PM 3/10/2020	7:33 AM 3/13/2020	<0.8 pCi/L *
64)	AE749283	2132990 Red River High School Grand Forks, ND 58201 USA	411 Not Provided	Not Provided Personal Knowledge	Yes	9:25 PM 3/10/2020	7:38 AM 3/13/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.





2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
65) AE749282	2133002	Red River High School Grand Forks, ND 58201 USA	411 Not Provided	Not Provided Personal Knowledge	Yes	9:25 PM 3/10/2020	7:38 AM 3/13/2020	1.1 pCi/L
66) AE749272	2132952	Red River High School Grand Forks, ND 58201 USA	413 Not Provided	Not Provided Personal Knowledge	Yes	9:26 PM 3/10/2020	7:40 AM 3/13/2020	1.6 pCi/L
67) AE749284	2132996	Red River High School Grand Forks, ND 58201 USA	413 Not Provided	Not Provided Personal Knowledge	Yes	9:26 PM 3/10/2020	7:40 AM 3/13/2020	0.7 pCi/L
68) AE749292	2132981	Red River High School Grand Forks, ND 58201 USA	410 Not Provided	Not Provided Personal Knowledge	Yes	9:28 PM 3/10/2020	7:43 AM 3/13/2020	0.9 pCi/L
69) AE749291	2132982	Red River High School Grand Forks, ND 58201 USA	410 Not Provided	Not Provided Personal Knowledge	Yes	9:28 PM 3/10/2020	7:43 AM 3/13/2020	<0.6 pCi/L *
70) AE749308	2133013	Red River High School Grand Forks, ND 58201 USA	321 Not Provided	Not Provided Personal Knowledge	Yes	9:30 PM 3/10/2020	7:44 AM 3/13/2020	0.6 pCi/L
71) AE749290	2132921	Red River High School Grand Forks, ND 58201 USA	321 Not Provided	Not Provided Personal Knowledge	Yes	9:30 PM 3/10/2020	7:44 AM 3/13/2020	<0.5 pCi/L *
72) AE749300	2132984	Red River High School Grand Forks, ND 58201 USA	320 Not Provided	Not Provided Personal Knowledge	Yes	9:32 PM 3/10/2020	7:45 AM 3/13/2020	0.8 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
73)	AE749317	2132983 Red River High School Grand Forks, ND 58201 USA	320 Not Provided	Not Provided Personal Knowledge	Yes	9:32 PM 3/10/2020	7:45 AM 3/13/2020	1.0 pCi/L
74)	AE749309	2132932 Red River High School Grand Forks, ND 58201 USA	226 Not Provided	Not Provided Personal Knowledge	Yes	9:33 PM 3/10/2020	8:05 AM 3/13/2020	<0.9 pCi/L *
75)	AE749295	2132986 Red River High School Grand Forks, ND 58201 USA	226 Not Provided	Not Provided Personal Knowledge	Yes	9:33 PM 3/10/2020	8:05 AM 3/13/2020	<0.5 pCi/L *
76)	AE749316	2132929 Red River High School Grand Forks, ND 58201 USA	225 Not Provided	Not Provided Personal Knowledge	Yes	9:34 PM 3/10/2020	8:05 AM 3/13/2020	0.9 pCi/L
77)	AE749324	2132944 Red River High School Grand Forks, ND 58201 USA	225 Not Provided	Not Provided Personal Knowledge	Yes	9:34 PM 3/10/2020	8:05 AM 3/13/2020	0.8 pCi/L
78)	AE749279	2132927 Red River High School Grand Forks, ND 58201 USA	224 Not Provided	Not Provided Personal Knowledge	Yes	9:36 PM 3/10/2020	8:04 AM 3/13/2020	<0.6 pCi/L *
79)	AE749271	2132987 Red River High School Grand Forks, ND 58201 USA	224 Not Provided	Not Provided Personal Knowledge	Yes	9:36 PM 3/10/2020	8:04 AM 3/13/2020	0.4 pCi/L
80)	AE749276	2132988 Red River High School Grand Forks, ND 58201 USA	223 Not Provided	Not Provided Personal Knowledge	Yes	9:38 PM 3/10/2020	8:03 AM 3/13/2020	0.7 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
81) AE749325	2132931	Red River High School Grand Forks, ND 58201 USA	222 Not Provided	Not Provided Personal Knowledge	Yes	9:34 PM 3/10/2020	8:02 AM 3/13/2020	<0.8 pCi/L *
82) AE749268	2132947	Red River High School Grand Forks, ND 58201 USA	221 Not Provided	Not Provided Personal Knowledge	Yes	9:39 PM 3/10/2020	8:03 AM 3/13/2020	<0.8 pCi/L *
83) AE749332	2132989	Red River High School Grand Forks, ND 58201 USA	220 Not Provided	Not Provided Personal Knowledge	Yes	9:39 PM 3/10/2020	8:01 AM 3/13/2020	<0.7 pCi/L *
84) AE749296	2132925	Red River High School Grand Forks, ND 58201 USA	218 Not Provided	Not Provided Personal Knowledge	Yes	9:41 PM 3/10/2020	8:07 AM 3/13/2020	<0.5 pCi/L *
85) AE749288	2132924	Red River High School Grand Forks, ND 58201 USA	218 Office Not Provided	Not Provided Personal Knowledge	Yes	9:41 PM 3/10/2020	8:07 AM 3/13/2020	0.4 pCi/L
86) AE749333	2132977	Red River High School Grand Forks, ND 58201 USA	114 Entry Rm Not Provided	Not Provided Personal Knowledge	Yes	9:45 PM 3/10/2020	8:09 AM 3/13/2020	<0.5 pCi/L *
87) AE749340	2132936	Red River High School Grand Forks, ND 58201 USA	114 Lounge Not Provided	Not Provided Personal Knowledge	Yes	9:48 PM 3/10/2020	8:09 AM 3/13/2020	<0.5 pCi/L *
88) AE749273	2132976	Red River High School Grand Forks, ND 58201 USA	Library Office Not Provided	Not Provided Personal Knowledge	Yes	9:50 PM 3/10/2020	8:11 AM 3/13/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
89)	AE749265	2132946 Red River High School Grand Forks, ND 58201 USA	Library Work Rm Not Provided	Not Provided Personal Knowledge	Yes	9:51 PM 3/10/2020	8:11 AM 3/13/2020	<0.5 pCi/L *
90)	AE749281	2132938 Red River High School Grand Forks, ND 58201 USA	Condreence Rr 1 Not Provided	Not Provided Personal Knowledge	Yes	9:52 PM 3/10/2020	8:14 AM 3/13/2020	<0.7 pCi/L *
91)	AE749289	2132928 Red River High School Grand Forks, ND 58201 USA	Conference Tr 2 Not Provided	Not Provided Personal Knowledge	Yes	9:52 PM 3/10/2020	8:15 AM 3/13/2020	<0.6 pCi/L *
92)	AE749341	2132939 Red River High School Grand Forks, ND 58201 USA	Library Not Provided	Not Provided Personal Knowledge	Yes	9:55 PM 3/10/2020	8:12 AM 3/13/2020	<0.6 pCi/L *
93)	AE749280	2132920 Red River High School Grand Forks, ND 58201 USA	Library Not Provided	Not Provided Personal Knowledge	Yes	9:55 PM 3/10/2020	8:14 AM 3/13/2020	0.5 pCi/L
94)	AE749298	2132941 Red River High School Grand Forks, ND 58201 USA	216 Not Provided	Not Provided Personal Knowledge	Yes	9:57 PM 3/10/2020	7:59 AM 3/13/2020	<0.4 pCi/L *
95)	AE749297	2132918 Red River High School Grand Forks, ND 58201 USA	217 Not Provided	Not Provided Personal Knowledge	Yes	9:58 PM 3/10/2020	8:00 AM 3/13/2020	<0.6 pCi/L *
96)	AE749306	2132940 Red River High School Grand Forks, ND 58201 USA	219 Not Provided	Not Provided Personal Knowledge	Yes	9:59 PM 3/10/2020	8:00 AM 3/13/2020	1.0 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
97)	AE749307	2132937 Red River High School Grand Forks, ND 58201 USA	215 Not Provided	Not Provided Personal Knowledge	Yes	10:12 PM 3/10/2020	8:16 AM 3/13/2020	<0.6 pCi/L *
98)	AE749314	2132933 Red River High School Grand Forks, ND 58201 USA	213 Not Provided	Not Provided Personal Knowledge	Yes	10:14 PM 3/10/2020	8:17 AM 3/13/2020	<0.7 pCi/L *
99)	AE749305	2132930 Red River High School Grand Forks, ND 58201 USA	211 Not Provided	Not Provided Personal Knowledge	Yes	10:16 PM 3/10/2020	8:18 AM 3/13/2020	<0.7 pCi/L *
100)	AE749315	2132945 Red River High School Grand Forks, ND 58201 USA	209 Not Provided	Not Provided Personal Knowledge	Yes	10:14 PM 3/10/2020	8:19 AM 3/13/2020	<0.6 pCi/L *
101)	AE749322	2132923 Red River High School Grand Forks, ND 58201 USA	207 Office Not Provided	Not Provided Personal Knowledge	Yes	10:16 PM 3/10/2020	8:21 AM 3/13/2020	<0.4 pCi/L *
102)	AE749293	2132916 Red River High School Grand Forks, ND 58201 USA	Locker Boy 12 Not Provided	Not Provided Personal Knowledge	Yes	7:48 PM 3/10/2020	8:38 AM 3/13/2020	0.4 pCi/L
103)	AE749320	2132935 Red River High School Grand Forks, ND 58201 USA	Theatre 100 Not Provided	Not Provided Personal Knowledge	Yes	7:50 PM 3/10/2020	8:26 AM 3/13/2020	<0.6 pCi/L *
104)	AE749304	2132919 Red River High School Grand Forks, ND 58201 USA	Theater 100 Not Provided	Not Provided Personal Knowledge	Yes	7:51 PM 3/10/2020	8:25 AM 3/13/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
105)AE749294	2132948	Red River High School Grand Forks, ND 58201 USA	Behind Stage Not Provided	Not Provided Personal Knowledge	Yes	7:53 PM 3/10/2020	8:28 AM 3/13/2020	<0.5 pCi/L *
106)AE749312	2132942	Red River High School Grand Forks, ND 58201 USA	Stage Office/ Not Provided	Not Provided Personal Knowledge	Yes	7:59 PM 3/10/2020	8:34 AM 3/13/2020	<0.6 pCi/L *
107)AE749318	2132974	Red River High School Grand Forks, ND 58201 USA	Rough Ridge Stage Not Provided	Not Provided Personal Knowledge	Yes	8:01 PM 3/10/2020	8:33 AM 3/13/2020	<0.7 pCi/L *
108)AE749326	2132917	Red River High School Grand Forks, ND 58201 USA	Rought Rider Stage Not Provided	Not Provided Personal Knowledge	Yes	8:02 PM 3/10/2020	8:33 AM 3/13/2020	<0.7 pCi/L *
109)AE749319	2132975	Red River High School Grand Forks, ND 58201 USA	Wood Shop Stage Not Provided	Not Provided Personal Knowledge	Yes	8:04 PM 3/10/2020	8:30 AM 3/13/2020	<0.6 pCi/L *
110)AE749327	2132943	Red River High School Grand Forks, ND 58201 USA	Wood Shop Not Provided	Not Provided Personal Knowledge	Yes	8:04 PM 3/10/2020	8:32 AM 3/13/2020	0.6 pCi/L
111)AE749329	2132922	Red River High School Grand Forks, ND 58201 USA	Sound Room Not Provided	Not Provided Personal Knowledge	Yes	8:06 PM 3/10/2020	8:24 AM 3/13/2020	<0.4 pCi/L *
112)AE749321	2132934	Red River High School Grand Forks, ND 58201 USA	Ticket Concession Not Provided	Not Provided Personal Knowledge	Yes	8:08 PM 3/10/2020	8:23 AM 3/13/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100  
 Carrollton, TX 75006  
 (800) 324-5928  
 www.DrHomeAir.com

**Laboratory Certification Info**  
 NRPP ID#: 101132 AL  
 STATE ID#: N/A  
 NJ MEB#: MEB 90095

**Client:** ND  
 918 E Divide Ave 3rd Floor  
 Bismarck, ND 58501 USA

**RADON RESULTS SUMMARY**

Detailed individual reports available online at [DrHomeAir.com/Results](http://DrHomeAir.com/Results)  
 Short Term (Activated Charcoal)  
 EPA-402-R-92-004

**Project:** Red River High School  
 03 17 2020  
**Date Received:** 3/17/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
113)AE749299	2132991	Red River High School Grand Forks, ND 58201 USA	207 Not Provided	Not Provided Personal Knowledge	Yes	10:15 PM 3/10/2020	8:21 AM 3/13/2020	<0.6 pCi/L *
114)AE692728	2132997	Red River High School Grand Forks, ND 58201 USA	401 Innder Rm Not Provided	Not Provided Personal Knowledge	Yes	8:39 PM 3/10/2020	7:32 AM 3/13/2020	0.9 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

\*The measured radon level was lower than the detector's Lower Limit of Detection. Visit [DrHomeAir.com/LLD](http://DrHomeAir.com/LLD) for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.

Measurement Specialist / Laboratory Director *[Signature]* NJ MES: 11306 Date 3/19/2020