



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lake Agassizelementary
 School 03 10 2020
Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
1)	AE693650	2128110 605 Stanford Rd 40 Principal Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:18 AM 3/2/2020	12:10 PM 3/4/2020	<1.0 pCi/L *
2)	AE693658	2128108 605 Stanford Rd 39 Main Office Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:20 AM 3/2/2020	12:08 PM 3/4/2020	1.0 pCi/L
3)	AE693666	2128107 605 Stanford Rd 38 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:23 AM 3/2/2020	12:08 PM 3/4/2020	<0.7 pCi/L *
4)	AE693671	2128120 605 Stanford Rd 37 Counselor Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:34 AM 3/2/2020	12:13 PM 3/4/2020	<0.7 pCi/L *
5)	AE693687	2128111 605 Stanford Rd 35 Sw Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:27 AM 3/2/2020	12:14 PM 3/4/2020	1.1 pCi/L
6)	AE693679	2128121 605 Stanford Rd 36 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:32 AM 3/2/2020	12:16 PM 3/4/2020	<0.9 pCi/L *
7)	AE693643	2128112 605 Stanford Rd Nurse Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:36 AM 3/2/2020	12:17 PM 3/4/2020	<0.9 pCi/L *
8)	AE693663	2128083 605 Stanford Rd 1 Custodian Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:40 AM 3/2/2020	12:31 PM 3/4/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info

NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lake Agassizelementary
 School 03 10 2020

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
9)	AE693655	605 Stanford Rd Kitchen Office Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:42 AM 3/2/2020	12:24 PM 3/4/2020	<0.7 pCi/L *
10)	AE693641	605 Stanford Rd Lunch Room Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:44 AM 3/2/2020	12:25 PM 3/4/2020	<0.7 pCi/L *
11)	AE693651	605 Stanford Rd 2 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:50 AM 3/2/2020	12:32 PM 3/4/2020	<0.8 pCi/L *
12)	AE693654	605 Stanford Rd 2 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:50 AM 3/2/2020	12:32 PM 3/4/2020	<0.6 pCi/L *
13)	AE693659	605 Stanford Rd 3 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:52 AM 3/2/2020	12:28 PM 3/4/2020	<0.7 pCi/L *
14)	AE693627	605 Stanford Rd Staff Work Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:54 AM 3/2/2020	12:25 PM 3/4/2020	<0.9 pCi/L *
15)	AE693661	605 Stanford Rd Staff Lounge 6 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:56 AM 3/2/2020	12:33 PM 3/4/2020	<0.7 pCi/L *
16)	AE693608	605 Stanford Rd Grade K Room 5 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	10:59 AM 3/2/2020	12:22 PM 3/4/2020	<0.5 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lake Agassizelementary
 School 03 10 2020
Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
17)	AE693635	605 Stanford Rd 7 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:02 AM 3/2/2020	12:20 PM 3/4/2020	<0.9 pCi/L *
18)	AE693657	605 Stanford Rd 10 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:04 AM 3/2/2020	12:35 PM 3/4/2020	<0.8 pCi/L *
19)	AE693665	605 Stanford Rd 9 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:07 AM 3/2/2020	12:36 PM 3/4/2020	<1.0 pCi/L *
20)	AE693647	605 Stanford Rd 11 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:07 AM 3/2/2020	12:37 PM 3/4/2020	<1.0 pCi/L *
21)	AE693667	605 Stanford Rd 12 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:11 AM 3/2/2020	12:38 PM 3/4/2020	<1.1 pCi/L *
22)	AE693662	605 Stanford Rd 12 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:12 AM 3/2/2020	12:38 PM 3/4/2020	1.1 pCi/L
23)	AE693639	605 Stanford Rd 14 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:14 AM 3/2/2020	12:40 PM 3/4/2020	<1.0 pCi/L *
24)	AE693673	605 Stanford Rd 13 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:15 AM 3/2/2020	12:42 PM 3/4/2020	1.4 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lake Agassizelementary
 School 03 10 2020

Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
25)	AE693674	2128071 605 Stanford Rd 15 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:16 AM 3/2/2020	12:42 PM 3/4/2020	1.8 pCi/L
26)	AE693613	2128062 605 Stanford Rd 16 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:17 AM 3/2/2020	12:43 PM 3/4/2020	1.2 pCi/L
27)	AE693670	2128109 605 Stanford Rd 17 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:18 AM 3/2/2020	12:45 PM 3/4/2020	0.8 pCi/L
28)	AE693682	2128076 605 Stanford Rd 18 Speech Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:19 AM 3/2/2020	12:46 PM 3/4/2020	1.2 pCi/L
29)	AE693678	2128075 605 Stanford Rd 20 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:21 AM 3/2/2020	12:49 PM 3/4/2020	1.2 pCi/L
30)	AE693686	2128077 605 Stanford Rd 20 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:21 AM 3/2/2020	12:49 PM 3/4/2020	<0.9 pCi/L *
31)	AE693653	2128116 605 Stanford Rd 19 Music Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:23 AM 3/2/2020	12:46 PM 3/4/2020	1.2 pCi/L
32)	AE693675	2128078 605 Stanford Rd 21 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:24 AM 3/2/2020	12:51 PM 3/4/2020	<0.6 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lake Agassizelementary
 School 03 10 2020
Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
33)	AE693683	605 Stanford Rd 23 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:25 AM 3/2/2020	12:52 PM 3/4/2020	<0.7 pCi/L *
34)	AE693681	605 Stanford Rd 22 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:26 AM 3/2/2020	12:54 PM 3/4/2020	<1.3 pCi/L *
35)	AE693649	605 Stanford Rd 22 Office Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:27 AM 3/2/2020	12:55 PM 3/4/2020	<0.9 pCi/L *
36)	AE693690	605 Stanford Rd 24 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:28 AM 3/2/2020	12:58 PM 3/4/2020	0.7 pCi/L
37)	AE693696	605 Stanford Rd 26 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:29 AM 3/2/2020	12:59 PM 3/4/2020	<0.9 pCi/L *
38)	AE693689	605 Stanford Rd 25 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:32 AM 3/2/2020	12:56 PM 3/4/2020	1.5 pCi/L
39)	AE693691	605 Stanford Rd 27 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:31 AM 3/2/2020	12:57 PM 3/4/2020	<0.7 pCi/L *
40)	AE693697	605 Stanford Rd 33 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:34 AM 3/2/2020	1:04 PM 3/4/2020	<0.9 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lake Agassizelementary
 School 03 10 2020
Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
41)	AE693698	2128099 605 Stanford Rd 28 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:37 AM 3/2/2020	1:00 PM 3/4/2020	1.3 pCi/L
42)	AE693699	2128097 605 Stanford Rd 30 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:40 AM 3/2/2020	1:01 PM 3/4/2020	<0.9 pCi/L *
43)	AE693685	2128102 605 Stanford Rd 29 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:43 AM 3/2/2020	1:02 PM 3/4/2020	<1.0 pCi/L *
44)	AE693669	2128074 605 Stanford Rd 32 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:45 AM 3/2/2020	1:03 PM 3/4/2020	<1.0 pCi/L *
45)	AE693694	2128081 605 Stanford Rd 31 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:46 AM 3/2/2020	1:40 PM 3/4/2020	<1.3 pCi/L *
46)	AE693695	2128080 605 Stanford Rd S1 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:54 AM 3/2/2020	11:16 PM 3/4/2020	<0.6 pCi/L *
47)	AE693704	2128104 605 Stanford Rd Workroom Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:55 AM 3/2/2020	11:15 PM 3/4/2020	0.9 pCi/L
48)	AE693677	2128093 605 Stanford Rd Library 47 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	11:59 AM 3/2/2020	1:13 PM 3/4/2020	0.9 pCi/L

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lake Agassizelementary
 School 03 10 2020
Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
49)	AE693693	2128094 605 Stanford Rd Library 47 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	11:57 AM	1:14 PM	1.6 pCi/L
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
50)	AE693645	2128100 605 Stanford Rd 48 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	12:01 PM	1:14 PM	1.0 pCi/L
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
51)	AE693700	2128106 605 Stanford Rd 49 Music Room Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	12:02 PM	1:15 PM	<0.9 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
52)	AE693702	2128095 605 Stanford Rd 52 Office Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	12:05 PM	1:19 PM	<1.0 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
53)	AE693703	2128079 605 Stanford Rd Gym 50 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	12:07 PM	1:20 PM	<0.9 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
54)	AE694426	2128105 605 Stanford Rd Gym 50 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	12:27 PM	1:20 PM	<0.8 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
55)	AE694418	2128096 605 Stanford Rd 41 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	12:32 PM	1:20 PM	<1.0 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	
56)	AE694417	2128114 605 Stanford Rd 41 Grand Forks, ND 58203 USA	Not Provided	Slab	Yes	12:32 PM	1:26 PM	<0.6 pCi/L *
			Not Provided	Personal Knowledge		3/2/2020	3/4/2020	

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.
 CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.



2501 Mayes Road, Ste 100
 Carrollton, TX 75006
 (800) 324-5928
 www.DrHomeAir.com

Laboratory Certification Info
 NRPP ID#: 101132 AL
 STATE ID#: N/A
 NJ MEB#: MEB 90095

Client: ND
 918 E Divide Ave
 2nd Floor
 Bismarck, ND 58501 USA

RADON RESULTS SUMMARY

Detailed individual reports available online at DrHomeAir.com/Results
 Short Term (Activated Charcoal)
 EPA-402-R-92-004

Project: Lake Agassizelementary
 School 03 10 2020
Date Received: 3/10/2020

Kit Serial	Lab ID	Test Address	Test Location/Floor	Structure/Reason	Closed?	Test Start	Test Stop	Result
57)	AE694450	605 Stanford Rd 42 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	12:35 PM 3/2/2020	1:29 PM 3/4/2020	<0.8 pCi/L *
58)	AE694449	605 Stanford Rd 42 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	12:35 PM 3/2/2020	1:29 PM 3/4/2020	<0.7 pCi/L *
59)	AE694442	605 Stanford Rd 43 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	12:37 PM 3/2/2020	1:30 PM 3/4/2020	1.2 pCi/L
60)	AE694441	605 Stanford Rd 44 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	12:45 PM 3/2/2020	1:36 PM 3/4/2020	<1.0 pCi/L *
61)	AE694457	605 Stanford Rd 44 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	12:45 PM 3/2/2020	1:36 PM 3/4/2020	0.8 pCi/L
62)	AE694434	605 Stanford Rd 45 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	12:46 PM 3/2/2020	1:32 PM 3/4/2020	0.7 pCi/L
63)	AE694433	605 Stanford Rd 45 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	12:46 PM 3/2/2020	1:32 PM 3/4/2020	<0.6 pCi/L *
64)	AE694443	605 Stanford Rd 34 Grand Forks, ND 58203 USA	Not Provided	Slab Personal Knowledge	Yes	12:59 PM 3/2/2020	1:10 PM 3/4/2020	<0.7 pCi/L *

QA/QC - Short Term Radon Tests have an estimated accuracy of ±5% when used according to directions.

*The measured radon level was lower than the detector's Lower Limit of Detection. Visit DrHomeAir.com/LLD for info

DISCLAIMER: Test results are only indicative of the sample as received by the lab. Incorrect information or improper procedures will affect results. Alpha Energy Laboratories did not provide sampling services unless otherwise indicated. This measurement is not necessarily predictive or supportive of measurements conducted at different times or different locations. Alpha Energy Laboratories is not responsible for the consequences of any action you do or do not take based on the test results. One sampler can test up to 2,000 square feet.

CONFIDENTIALITY: This report is confidential. If you receive the report in error, please inform the lab and destroy all copies.